

# Farrell Engineering Ltd

Westbury House, 23-25 Bridge Street, Pinner HA5 3HR United Kingdom

Tel : 0044-208-3432 3291 Fax : 044-208-9657586

Email : [chan@farrellengineering.com](mailto:chan@farrellengineering.com)







<b>Category</b>	:-	<b>CNC Lathes</b>	<b>Serial No</b>	:-	
<b>Model</b>	:-	<b>X 15</b>	<b>Country</b>	:-	<b>Japan</b>
<b>Make</b>	:-	<b>Takamaz</b>	<b>Type of Machine</b>	:-	<b>Takamaz X-15 hi server CNC, Fanuc 21 TB precision lathe</b>
<b>Year</b>	:-	<b>2002</b>	<b>Weight</b>	:-	<b>0.0</b>
<b>Dimensions</b>	:-		<b>Power</b>	:-	
<b>Location</b>	:-	<b>Mumbai Warehosue, India</b>	<b>Asking Price</b>	:-	<b>On Request</b>

Specification :-

**STANDARD SPECIFICATION :TAKAMAZ FANUC**

	<b>ITEM</b>	<b>UNIT</b>	<b>SPECIFICATIONS</b>	
<b>Capacity</b>	Max.turning dia.	mm	OD 260	
	Max. turning length	mm	280	
	Max. bar material dia.*1	mm	OD 51	
	Chuck size	inch	8	
<b>Spindle</b>	Spindle nose	JIS	A2-6	
	Spindle through hole dia.	mm	OD 61	
	Spindle bearing I. D.	mm	OD 100	
	Max. speed	Min. -1	3500	
	Spindle motor	KW	AC5.5/7.5	
	<b>Tool post</b>	Type		8-stationed turret
		Max. tool size	mm	Sq. 25
Max boring tool dia.		mm	OD 40	
<b>Slide</b>	Max. stroke	mm	X:155, Z: 320	
	Rapid traverse rate	m/min.	X:18, Z:24	
	Feed motor	KW	X:AC1.4, Z:AC2.1	
<b>Size</b>	L X W X H	mm	1760 x1500x 1650	
	Spindle centre height	mm	1000	
	Machine weight	kgf	3000 (29.4KN)	
	Hydraulic tank	Lit.	15	
	Coolant tank	Lit.	120	
	<b>Electrical capacity</b>	Coolant pump motor	kw	AC0.25
Hydraulic pump motor		kw	AC1.5	
Total power capacity		kVa	22	
Controller			TAKAMAZ FANUC	

Description :-