


# Farrell Engineering Ltd

5, House of Farrell, St.Leonard Road London NW10 6NB United Kingdom  
Tel: (020) 8965 7578 Fax: (020) 8965 7586  
Email: [info@farrellengineering.com](mailto:info@farrellengineering.com)





<b>Category</b>	<b>:- Internal Bore Grinders With Facing W/o Facing (Conventional &amp; Cnc)</b>	<b>Serial No</b>	<b>:-</b>
<b>Model</b>	<b>:- 3A</b>	<b>Country</b>	<b>:- Germany</b>
<b>Make</b>	<b>:- Voumard</b>	<b>Type of Machine</b>	<b>:- Internal Bore Grinder</b>
<b>Year</b>	<b>:- 1985</b>	<b>Weight</b>	<b>:- 0.0</b>
<b>Dimensions</b>	<b>:-</b>	<b>Power</b>	<b>:-</b>
<b>Location</b>	<b>:- Mumbai warehouse,India</b>	<b>Asking Price</b>	<b>:- On Call</b>

Specifications :-
<p><b>Manufacturer :</b> <b>Model :</b></p>
<p><b>VOUMARD</b> <b>3A</b></p>
<p><b>Grinding diameter</b></p> <p><b>3-80 mm</b></p>
<p><b>Grinding depth</b></p> <p><b>80 mm</b></p>
<p><b>Max length to grinding</b></p> <p><b>250 mm</b></p>
<p><b>Centers height on table :</b> <b>piece holder</b> <b>Wheel centre</b></p>

130 mm

200 mm

Head tilting

200 mm

In normal protection passage diameter

240 mm

In special protection passage diameter

300 mm

Piece holder mandrel passage

25 mm

Tree's nose internal cone

Metric 40

5 speeds if piece holder mandrel

350,480,650,880,

1200 t/min

Grinding table max stroke

300 mm

Grinding table min stroke

2 mm

Descriptions :-