


# Farrell Engineering Ltd


Westbury House, 23-25 Bridge Street, Pinner HA5 3HR United Kingdom

Tel. : 0044-208-3432 3291 Fax : 044-208-9657586

Email : [chan@farrellengineering.com](mailto:chan@farrellengineering.com)









<b>Category</b>	<b>:- Gear Related Machines</b>	<b>Serial No</b>	<b>:-</b>
<b>Model</b>	<b>:- fo16</b>	<b>Country</b>	<b>:- Czech Republic</b>
<b>Make</b>	<b>:- Tos</b>	<b>Type of Machine</b>	<b>:- Gear Hobber Universal</b>
<b>Year</b>	<b>:- 0</b>	<b>Weight</b>	<b>:- 0.0</b>
<b>Dimensions</b>	<b>:-</b>	<b>Power</b>	<b>:-</b>
<b>Location</b>	<b>:- Mumbai Warehouse, India</b>	<b>Asking Price</b>	<b>:- On Request</b>

<b>Specifications :-</b>
Max. gear wheel module - max. machining 16 - with normal machine loading 20 Max. gear wheel diametre mm 1600 Max. gear wheel diameter without steady with normal machine loading mm 2000 Max. gear wheel width with straight teeth - gear wheel diameter above 1350 mm mm 560 - gear wheel diameter below 1350 mm mm 500 Max. distance

between spindle and table surface mm 1050 Min. distance between spindle and table surface mm 400 Max. distance between spindle and table mm 1150 Min. distance between spindle and table mm 100 Table diametre mm 1350 Table boring diametre mm 180 Number of T-shaped groove mm 8 Milling arbor diameter mm 32-40-50-60 Number of milling spindle revolutions in R 10 row, =1,26 from-to U/min 16- 80 Main motor power PS 15 Fast motor power PS 7,5 Vertical feed number 36 Vertical feed range with table revolutions from- to mm 0,25- 6 Longitudinal feed number with table revolutions from- to mm 0,05-1,5 Machine surface needed mm 4300 x 2000 Weight with normal equipment kG 18 100

**Descriptions :-**