

Video :--

video number 1	
video number 2	
video number 3	

Category	**:-**	**Gear Testers**	**Serial No**	**:-**	
Model	**:-**	**PH 100**	**Country**	**:-**	**Switzerland**
Make	**:-**	**Maag**	**Type of Machine**	**:-**	**Universal LEAD AND INVOLUTE TESTER**
Year	**:-**	**1990**	**Weight**	**:-**	**0.0**
Dimensions	**:-**		**Power**	**:-**	
Location	**:-**	**Mumbai Warehouse,India**	**Asking Price**	**:-**	**On Request**

Specification :-

MAAG PH-100 LEAD AND INVOLUTE TESTER

Technical Data

Min Tooth Size Module 0.5

DP 50

Max Tooth Size Module 20
DP 1.25
Min/Max Adjustable Base Circle Diameter 200/1000mm
Max Generating Path w/Max Base Circle 600mm
Max Tip Circle Diameter A 1050mm
Max Pinion Length (using vertical support) H 830mm
Min Pinion Length (using vertical support)
a) Standard Model 290mm
b) Special Model (w/special vertical support) 100mm
Min/Max Shaft Diameter for Steady L 100/200mm
Diameter of Standard Work Table d 350mm
Diameter of Large Work Table (special model) D 750mm
Adjustability of Pick-Up Slide V 350mm
Max Facewidth b
At Helix Angle of 0 Deg 260mm
At Helix Angel of 60 Deg 130mm
Total Scanning Height M 678mm
Error Magnification of Recorder Unit With:

Read-Off Accuracy for Base Circle 0.001mm
Read-Off Accuracy for Helix Angle 1 sec.
Max Permissible Weight of Gear 1000kg
Mains Rating 400 VA
Overall Length of Machine 2470mm
Overall Width of Machine 1640mm
Overall Height of Machine w/Vertical Support 2300mm
Weight of Machine 2500kg

Description :--