

Farrell Engineering Ltd

Westbury House, 23-25 Bridge Street, Pinner HA5 3HR United Kingdom


Tel : 0044-208-3432 3291 Fax : 044-208-9657586

Email : chan@farrellengineering.com

















Category	:-	Gear Related Machines	Serial No	:-	
Model	:-	104 CNC	Country	:-	United States
Make	:-	Gleason	Type of Machine	:-	CNC Coniflex Straight Bevel Generator With GE FANUC SERIES O-GC System
Year	:-		Weight	:-	0.0
Dimensions	:-		Power	:-	
Location	:-	Mumbai Warehouse,India	Asking Price	:-	On Request

Specification :-

CNC Coniflex Straight Bevel Generator With GE FANUC SERIES O-GC System

Hydraulic Double-Acting Chucking Mechanism (Less Draw-in-Bar and Nut)
Self-Contained Hydraulic System
Self-Contained Coolant System
Workhead Brake
Full Guards Cover
Full Compliment of Electrics (Motor/Controls)

SPECIFICATIONS:

Cone Distance: 0 to 4-1/2'
Pitch Angle: 84 deg. 18 min. (max); 5 deg. 42 min. (min)
Extreme Ratio: 10-to-1
Pitch Diameter: 10-to-1 ratio; 8-1/2' (max)
Pitch Diameter: 1-to-1 ratio; 6' (max)
Diametral Pitch (coarsest): 3 DP
Diametral Pitch (finest): 20 DP
Face Width: 1-3/8' (max)
Index Range: 9 to 93 inclusive, and most numbers up to 175
Pressure Angles: 20, 22-1/2 & 25 deg.
Diameter of Taper Hole at Large : 3-29/32'
Taper per Foot: 39/64'
Depth of Taper: 6'
Diameter of Hole Through: 2-7/16'
Spindle Nose to Machine Center: 1-1/2' to 9'
Cutter Speeds: 98 to 286 (feet per minute)
Feeds: 4.2 to 69.2 (seconds per tooth)
Main Motor: 5 HP - 480V - 1800 RPM - 60 Hz - 3 PH

Description :--