# Farrell Engineering Lld

Westbury House, 23-25 Bridge Street, Pinner HA5 3HR United Kingdom Tel.: 0044-208-3432 3291 Fax: 044-208-9657586

Email: chan@farrellengineering.com













### Video:--

please click here for video no. 1	Ë(	
-----------------------------------	----	--

Category	:-	Gear Hobbers	Serial No	:-	
Model	:-	PA300 AW	Country	:-	Germany
Make	:-	Pfauter	Type of Machine	:-	Gear Hobber Machine
Year	:-		Weight	:-	0.0
Dimensions	:-		Power	:-	
Location	:-	Mumbai Warehouse,India	Asking Price	:-	On Request

## Specification:-

### Pfauter PA300 AW Gear Hobber

**Specifications:** 

•Model: Pfauter PA300 AW

Type: Gear Hobber

•Country of Origin: Germany

•Cutting Capacity:

•Maximum Gear Diameter: 320 mm

•Maximum Gear Module: 8 mm

•Maximum Workpiece Length: 400 mm

•Spindle Speed:

•Hob Spindle Speed Range: 40 to 1000 rpm •Work Spindle Speed Range: 15 to 300 rpm

•Hob Spindle: •Power: 7.5 kW

•Maximum Hob Diameter: 180 mm

•Table Movement:

X-axis Travel: 600 mmY-axis Travel: 300 mm

•Feed Rates:

In-feed Rate: 0.01 to 2 mm/revReturn Rate: 0.02 to 3 mm/rev

•Accuracy:

•Cutting Accuracy: ±0.015 mm

•Surface Finish: Ra 1.5 m

•Control System: Manual operation with advanced settings for helical cutting

•Helical Cutting Facility: Equipped with original Pfauter helical cutting capabilities, not available in

every PA300 AW model

•Dimensions:

•Machine Size: 2000 x 1700 x 2400 mm

•Weight:

•Approximate Weight: 3500 kg

•Power Supply: 400V, 50/60Hz, 15 kVA

Features:

•Advanced Helical Cutting: Includes Pfauter's original helical facility, providing enhanced versatility for complex gear geometries.

•**High Precision:** Ensures exceptional cutting accuracy and surface finish through meticulous manual control.

- •Versatile Capabilities: Ideal for a broad range of gear sizes and types, accommodating diverse manufacturing requirements.
- •Robust German Engineering: Built in Germany for long-lasting durability and reliability with minimal maintenance.
- •Increased Productivity: Efficient cutting speeds and capabilities designed to optimize production rates.

#### **Applications:**

Perfect for high-precision gear manufacturing in:

- Automotive Industry
- Aerospace Sector
- •Industrial Equipment
- •Power Transmission SystemsPresenting the Pfauter PA300 AW Gear Hobber, a premier gear cutting machine engineered for precision and versatility. Originating from Germany, the PA300 AW stands

Registered in England No. 1723966

out in its class with the inclusion of a helical cutting facility—an advanced feature that is not standard in every PA300 AW model. This specific machine is equipped with this unique capability, making it a valuable asset for producing high-quality gears with complex geometries.

#### Description :--

Presenting the Pfauter PA300 AW Gear Hobber, a premier gear cutting machine engineered for precision and versatility. Originating from Germany, the PA300 AW stands out in its class with the inclusion of a helical cutting facility—an advanced feature that is not standard in every PA300 AW model. This specific machine is equipped with this unique capability, making it a valuable asset for producing high-quality gears with complex geometries.